

REPORTABLE LIST

This listing provides documentation of all conditions the TCR considers reportable. Note the following changes:

- Reportable conditions from both the *International Classification of Diseases for Oncology, Second Edition (ICD-O-2)* and the *Third Edition (ICD-O-3)* are included in the listing.
- Newly reportable conditions and terms with behavior changed from /1 (borderline) in *ICD-O-2* to /3 (malignant) in *ICD-O-3* are identified in **bold** print. These conditions are reportable only when diagnosed on or after January 1, 2001.
- Several terms changed behavior from /3 (malignant) in *ICD-O-2* to /1 (borderline) in *ICD-O-3*. These conditions are reportable only when diagnosed prior to January 1, 2001, and are identified in *[brackets and italics]*.
- New terms and synonyms for existing ICD-O codes were added.
- Terms followed by asterisks (**) indicate that the terms are reportable for **benign and borderline behaviors (0 and 1)** only when the primary site is listed in the table **Required Sites for Benign and Borderline Primary Intracranial and Central Nervous System Tumors** on page 17 in the Casefinding Section. If the behavior is malignant (2 or 3) the terms are reportable for any site.

Adamantinoma (long bones, malignant, tibial only)

Adenoacanthoma

Adenocarcinofibroma

Adenocarcinoma

Adenofibroma (malignant endometrioid only)

Adenoma**

Adenoma (carcinoid bronchial and cylindroid bronchial only)

Adenosarcoma

AIN III (anal intraepithelial neoplasia, grade III)

Ameloblastoma (malignant only)

Androblastoma (malignant only)

Anemia, refractory

Angioendotheliomatosis

Angiolipoma**

Angiomyosarcoma

Angiosarcoma

Argentaffinoma (malignant only)

Arrhenoblastoma (malignant only)

Astroblastoma

Astrocytoma**

Astroglioma

Blastoma

Cancer

Carcinoid, **malignant** (exclude benign tumor of appendix, strumal, argentaffin tumor NOS, **enterochromaffin-like cell NOS, and tubular)**

Carcinofibroma

Carcinoma

Carcinomatosis

Carcinosarcoma

CASTLE (Carcinoma showing thymus-like element)

Chloroma

Cholangiocarcinoma

Chondroblastoma

Chondrosarcoma

Chordoma

Choriocarcinoma

Chorioepithelioma

Chorionepithelioma

Class IV cytology

Class V cytology

Comedocarcinoma

CPNET (central primitive neuroectodermal, NOS)

Craniopharyngioma**

Cylindroma (exclude eccrine dermal, and skin)

Cyst (dermoid with malignant transformation only **or dermoid with secondary tumor**)

Cystadenocarcinofibroma

Cystadenocarcinoma

Cystadenofibroma (malignant endometrioid only)

*[Cystadenoma (diagnosis date prior to January 1, 2001);
mucinous, borderline malignancy
papillary, borderline malignancy
papillary mucinous, borderline malignancy
papillary pseudomucinous, borderline malignancy
papillary serous, borderline malignancy
pseudomucinous, borderline malignancy
serous, borderline malignancy]*

Cystosarcoma phyllodes (malignant only)

Cytopenia, refractory with multilineage dysplasia

Dermatofibrosarcoma

Diktyoma (**exclude benign**)

DIN III (ductal intraepithelial neoplasia, grade III)

Disease (include only:

alpha heavy chain

Bowen

Chronic Myeloproliferative

Di Guglielmo

Franklin

gamma heavy chain

Heavy chain NOS

Hodgkin

immunoproliferative [NOS and small intestinal only]

Letterer-Siwe

mast cell, systemic tissue

Mu heavy chain

Myeloproliferative, chronic, NOS

Paget [exclude of bone]

Sezary

Disorder, myeloproliferative, chronic

Disorder, primary cutaneous CD30+ T-cell lymphoproliferative

Dysgerminoma

Ectomesenchymoma

Endometriosis, stromal

Enteroglucagonoma (malignant only)

Ependymblastoma

Ependymoma**

Epithelioma (NOS, basal cell, malignant, and squamous cell only)

Erythremia (acute and chronic only)

Erythroleukemia

Erythroplasia, Queyrat

Esthesioneuroblastoma

Esthesioneurocytoma

Esthesioneuroepithelioma

Fibrochondrosarcoma

Fibrodentinosarcoma

Fibroepithelioma, of Pinkus type or NOS

Fibrolipoma**

Fibroliposarcoma

Fibroma, NOS**

Fibromyxosarcoma

Fibro-odontosarcoma

Fibrosarcoma

Fibroexanthoma (malignant only)

Gangliocytoma**

Ganglioglioma**

Ganglioneuroblastoma

Ganglioneuroma**

Gastrinoma (malignant only)

Gemistocytoma

Germinoma

GIST-Gastrointestinal stromal tumor (malignant only)

Glioblastoma

Gliofibroma**

Glioma**

Gliomatosis cerebri

Gliosarcoma

Glomangiosarcoma

Glucagonoma (malignant only)

Granuloma (Hodgkin only)

Hemangioblastoma**

Hemangioendothelioma**

Hemangioma**

Hemangiopericytoma**

Hemangiosarcoma

Hepatoblastoma

Hepatocarcinoma

Hepatocholangiocarcinoma

Hepatoma (exclude benign)

Hidradenocarcinoma**Hidradenoma (malignant only)**

Histiocytoma (malignant fibrous only)

Histiocytosis (malignant, and acute
progressive X only)**Histiocytosis, Langerhans cell,
disseminated or generalized**

Hutchinson melanotic freckle (melanoma

In situ only)

Hypernephroma

Immunocytoma

Insulinoma (malignant only)

LCIS, NOS (lobular carcinoma in situ)

Leiomyoma (NOS)**

Leiomyomatosis (NOS)**

Leiomyosarcoma

Lentigo maligna

Leukemia (exclude granular lymphocytic)

Linitis plastica

Lipoma (atypical or NOS)**

Liposarcoma (exclude well differentiated
liposarcoma, superficial)LN2 (of breast also called lobular neoplasia,
grade 2 only)

Lymphangioendothelioma (malignant only)

Lymphangiosarcoma

Lymphoblastoma

Lymphoepithelioma

Lymphoma

Lymphosarcoma

Macroglobulinemia, Waldenstrom

Malignancy

Malignant

Mastocytoma (malignant only)

Mastocytosis (malignant only)

Medulloblastoma

Medulloepithelioma

Medullomyoblastoma

Melanocytoma, meningeal

Melanoma (exclude juvenile)

Melanocytoma, meningeal**

Melanocytosis, diffuse**

Melanomatosis, meningeal

Melanosis (precancerous only)

Meningioma**

Meningiomatosis**

Mesenchymoma (malignant only)

Mesonephroma (exclude benign)

Mesothelioma (exclude benign and cystic)

Metaplasia, agnogenic myeloid

Microglioma

**MPNST, NOS (malignant peripheral
nerve sheath tumor)****Multiple neurofibromatosis**

Mycosis fungoides

Myelofibrosis (acute, **chronic idiopathic,
with myeloid metaplasia or as a result
of myeloproliferative disease only**)

Myeloma

Myelomatosis

Myelosclerosis (megakaryocytic, acute,
malignant or with myeloid metaplasia)

Myelosis

Myoblastoma (malignant granular cell only)

Myoepithelioma (malignant only)

Myosarcoma

**Myosis, stromal NOS or endolymphatic
stromal**

Myxoliposarcoma

Myxosarcoma

Neoplasia, **ductal intraepithelial, grade 3
(of breast, also called DIN III)****Neoplasia, intratubular germ cell**Neoplasia, lobular, grade 2 of breast only
(also called LN2)Neoplasia, **squamous** intraepithelial, grade
3 (of **anus**, vulva and vagina only- also
called, **AIN III**, VIN III and VAIN III)

Neoplasm(malignant only)

Neoplasm**

Nephroblastoma

Nephroma (exclude mesoblastic)

Neurilemmoma**
 Neurilemmosarcoma
 Neuroblastoma
Neurocytoma, olfactory**
 Neuroepithelioma
 Neurofibroma**
 Neurofibromatosis (NOS)**
 Neurofibrosarcoma
 Neuroma (NOS)**
 Neurosarcoma
 Neurothekeoma**
 Nevus (malignant blue only)
 Odontosarcoma
 Oligoastrocytoma, mixed
 Oligodendroblastoma
 Oligodendroglioma
 Orchioblastoma
 Osteochondrosarcoma
 Osteoclastoma (malignant only)
 Osteofibrosarcoma
 Osteosarcoma
 Pancreatoblastoma
 Panmyelosis, acute only
 Papilloma**
Papulosis, lymphomatoid
 Paranglioma **
 Paragranuloma, Hodgkin
Perineural MPNST
 Perineurioma**
 Pheochromoblastoma
 Pheochromocytoma (malignant only)
 Pilomatrixoma (malignant only)
 Pinealoma (NOS)**
 Pineoblastoma
 Pineocytoma**
 Pituitary Adenoma
 Plasmacytoma
 PNET (primitive neuroectodermal tumor)
 Pneumoblastoma
Polycythemia (proliferative, rubra vera, or vera)
 Polyembryoma
 Polyposis (malignant lymphomatous only)
Porocarcinoma
 Poroma, eccrine (malignant only)

PNET (peripheral primitive neuroectodermal tumor)
Preleukemia
 Prolactinoma**
 Pseudomyxoma peritonei
 Queyrat erythroplasia
 Rathke Pouch Tumor
 Reticuloendotheliosis
 Reticulosarcoma
 Reticulosis (histiocytic medullary, malignant, **pagetoid**, and polymorphic only)
 Retinoblastoma
 Rhabdomyoma (NOS)**
 Rhabdomyosarcoma
 Rhabdosarcoma
 Sarcoma (**exclude well differentiated liposarcoma, superficial**)
 Sarcomatosis (meningeal only)
 Schwannoma
 Seminoma
SETTLE (spindle epithelial tumor with thymus-like element)
 Somatostatinoma (malignant only)
 Spermatocytoma
 Spiradenoma (malignant only)
 Spongioblastoma
 Spongioneuroblastoma
Stromatosis, endometrial
 Struma (malignant ovarii and Wuchernde Langhans only)
 Subependymoma**
 Subependymoma-ependymoma, mixed
 Sympathicoblastoma
 Syndrome,
5q deletion with myelodysplastic syndrome
Hypereosinophilic
Myelodysplastic
NOS
with 5q deletion syndrome
therapy-related, NOS
therapy-related, alkylating agent related
 therapy-related, epidopophyllotoxin related
Preleukemic

Syndrome, (continued)

Sezary

Synovioma (NOS and malignant only)

Syringoma chondroid, (malignant only)

Teratoblastoma, malignant

Teratocarcinoma

Teratoma**

Thecoma (malignant only)

Thrombocythemia (essential, essential hemorrhagic, idiopathic, or idiopathic hemorrhagic)Thymoma (malignant or **type C** only)

Tumor (include only):

adenocarcinoid

adrenal cortical (malignant only)

alpha cell (malignant only)

Askin

Bednar

beta cell (malignant only)

Brenner (malignant only)

Burkitt

carcinoid, NOS (except of appendix)

carcinoid (malignant only)

cells**

desmoplastic small round cell

dysembryoplastic neuroepithelial**

embolus

endodermal sinus

epithelial**

Ewing

fibrous, solitary****follicular dendritic cell**

fusiform cell type (malignant only)

G cell (malignant only)

gastrin cell (malignant only)**gastrointestinal stromal (malignant only)**

germ cell

giant cell (malignant only)

glomus (malignant only)

granular cell**

granulosa cell (malignant or **sarcomatoid** only)

Grawitz

interstitial cell (malignant only)

intravascular bronchial alveolar

Klatskin

Krukenberg

Leydig cell (malignant only)

malignant (**any type**)

mast cell (malignant only)

Merkel cell

mesenchymal (malignant only)

mesodermal, mixed

metastatic

mixed pineal

mixed salivary gland type (malignant only)

[mucinous, of low malignant potential;
diagnosis date prior to January 1, 2001]

mucocarcinoid

Mullerian mixed

neuroectodermal (exclude melanotic)

nonencapsulating sclerosing

odontogenic (malignant only)

olfactory, neurogenic

Pancoast

[*papillary mucinous, of low malignant potential; diagnosis date prior to January 1, 2001*][*papillary serous, of low malignant potential; diagnosis date prior to January 1, 2001*]

peripheral neuroectodermal or

peripheral primitive**neuroectodermal, NOS****peripheral nerve sheath (malignant only)**

phyllodes (malignant only)

pineal parenchymal of intermediate differentiation

Pinkus

plasma cell

polyvesicular vitelline

primitive neuroectodermal

rhabdoid, NOS

rhabdoid/teratoid, atypical round cell, desmoplastic, small Schminke

Tumor (cont'd)

secondary

*[serous, NOS, of low malignant potential
serous, papillary, of low malignant
potential; diagnosis date prior to January 1,
2001]*

Sellar region granular cell tumor

Sertoli-Leydig cell (poorly
differentiated, with heterologous
elements, sarcomatoid (malignant only)
sinus, endodermal

small cell type (malignant only)

smooth muscle (NOS)**

soft tissue**

spindle cell type (malignant only)

**spindle epithelial with thymus-like
element or thymus-like
differentiation**

steroid cell (malignant only)

sweat gland (malignant only)

teratoid/rhabdoid, atypical

transitional pineal

triton, malignant

trophoblastic, epithelioid

vitelline, polyvesicular

Wilm

yolk sac

Ulcer, rodent

VAIN III (vaginal intraepithelial neoplasia,
grade 3)

VIN III (vulvar intraepithelial neoplasia,
grade 3)

Vipoma (**malignant only**)

Xanthoastrocytoma, pleomorphic

*Resource: NAACCR Procedure Guidelines for Cancer
Registries Series IV: Appendix D February 2002*